Serial No.: 10/717,360 - 2 - Art Unit: 2882

Conf. No.: 6710

In the Claims

Please replace all prior versions, and listings, of claims in the application with the following list of claims:

1. (Currently Amended) An explosive detection system comprising:

a network a communication medium comprising an Ethernet link;

a device coupled to the network communication medium that scans an object and generates information about the object from the scan; and

an external computer, located remotely from the device, that receives the information over the network communication medium and implements an algorithm to make a threat determination about the object.

2-17. Cancelled

18. (New) A threat detection system comprising:

a communication medium;

at least one computed tomography (CT) scanner, coupled to the communication medium, that performs at least one CT scan of an object and generates data representative of the object based at least partially upon the at least one CT scan, the CT scanner comprising at least one processor that determines one or more locations for the at least one CT scan; and

a computer, remote from the CT scanner and coupled to the communication medium, that receives the data from the CT scanner via the communication medium and implements an algorithm that performs a threat determination about the object based at least partially on the data.

19. (New) A threat detection system comprising:

a communication medium;

at least one computed tomography (CT) scanner, coupled to the communication medium, that performs at least one CT scan of an object and generates data representative of the object

Serial No.: 10/717,360 - 3 - Art Unit: 2882

Conf. No.: 6710

based at least partially upon the at least one CT scan, the CT scanner comprising at least one processor that determines one or more locations for the at least one CT scan; and

a computer, remote from the CT scanner and coupled to the communication medium, that receives the data from the CT scanner via the communication medium and implements an algorithm that processes the data in a manner to facilitate automatically performing a threat determination about the object.

- 20. (New) The threat detection system of claim 19, wherein the algorithm processes the data to perform the threat determination about the object based at least partially on the data.
- 21. (New) The threat detection system of claim 20, further comprising a second scanner, wherein the computer receives second data from the second scanner, and wherein the algorithm processes the second data to perform the threat determination about the object based partially on the second data.
- 22. (New) The threat detection system of claim 19, further comprising a second scanner, wherein the computer receives second data from the second scanner, and wherein the algorithm processes the second data in a manner to facilitate automatically performing the threat determination about the object.
- 23. (New) The threat detection system of claim 22, wherein the second scanner is a dual energy x-ray device.
- 24. (New) The threat detection system of claim 22, wherein the second scanner is a line scanning x-ray device.
- 25. (New) The threat determination system of claim 22, wherein the data from the CT scanner comprises density information representative of the object.
- 26. (New) The threat determination system of claim 25, wherein the second data comprises effective atomic number information representative of the object.

Serial No.: 10/717,360 - 4 - Art Unit: 2882

Conf. No.: 6710

27. (New) The threat determination system of claim 25, wherein the second data comprises mass information representative of the object.

- 28. (New) The threat determination system of claim 25, wherein the second scanner is coupled to the computer via the communication medium.
- 29. (New) The threat detection system of claim 19, wherein the communication medium comprises an Ethernet link.
- 30. (New) The threat detection system of claim 19, wherein the communication medium comprises a network.
- 31. (New) A method of making a threat determination about an object, the method comprising acts of:
- (A) performing a computed tomography (CT) scan of the object using a CT scanner that generates data representative of the object, the CT scan comprising a scan at a plurality of locations, the CT scanner comprising at least one processor that determines the locations for the CT scan;
- (B) transmitting the data from the CT scanner over a communication medium to a remote computer; and
- (C) processing the data, via the remote computer, in a manner to facilitate automatically performing a threat determination about the object.
- 32. (New) The method of claim 31, wherein the act (C) comprises an act of processing the data to perform the threat determination about the object.
- 33. (New) The method of claim 32, further comprising acts of:
 - (D) receiving second data at the remote computer from a second scanner; and
- (E) processing the second data, via the remote computer, to perform the threat determination about the object.

Serial No.: 10/717,360 - 5 - Art Unit: 2882

Conf. No.: 6710

34. (New) The method of claim 31, further comprising acts of:

- (D) receiving second data at the remote computer from a second scanner; and
- (E) processing the second data, via the remote computer, in a manner to facilitate automatically performing the threat determination about the object.
- 35. (New) The method of claim 34, wherein the act (D) comprises an act of receiving the second data at the remote computer from a dual energy x-ray device.
- 36. (New) The method of claim 34, wherein the act (D) comprises an act of receiving the second data at the remote computer from a line scanning x-ray device.
- 37. (New) The method of claim 34, wherein the data comprises density information representative of the object, and wherein the act (C) comprises processing the density information in a manner to facilitate automatically performing the threat determination about the object.
- 38. (New) The method of claim 37, wherein the second data comprises effective atomic number information representative of the object, and wherein the act (E) comprises processing the effective atomic number information in a manner to facilitate automatically performing the threat determination about the object.
- 39. (New) The method of claim 37, wherein the second data comprises mass information representative of the object, and wherein the act (E) comprises processing the mass information in a manner to facilitate automatically performing the threat determination about the object.
- 40. (New) The method of claim 31, wherein the act (B) comprises transmitting the data from the CT scanner to the remote computer over a communication medium comprising an Ethernet link.

Serial No.: 10/717,360 - 6 - Art Unit: 2882

Conf. No.: 6710

41. (New) The method of claim 31, wherein the act (B) comprises transmitting the data from the CT scanner to the remote computer over a communication medium comprising a network.